



## BATTERIES AND CHARGERS

### MX7392BATT



Tecton Main Battery, Lithium Ion

*Notes:*

1) It can also be used with MX7

### MX7393BATT



Tecton CS Main Battery, Lithium Ion, Low-temperature

*Notes:*

1) It can also be used with MX7CS

### MX7394BATT



Tecton Main Battery, Lithium Ion, 10-pack

*Notes:*

1) It can also be used with MX7

### MX7395BATT



Tecton CS Main Battery, Lithium Ion, Low-temperature, 10-pack

*Notes:*

1) It can also be used with MX7CS

<p><b>MX7A380BATT</b></p> 	<p>MX7 Main Battery, Lithium Ion</p>
<p><b>MX7A381BATT</b></p> 	<p>MX7 Main Battery, Lithium Ion, Low-temperature, for use with MX7CS</p> <p><i>Notes:</i></p> <p>1) For use with MX7 Cold Storage.</p> <p>2) Call for availability.</p>
<p><b>MX7382BATTERY</b></p> 	<p>MX7 Main Battery, Lithium Ion, 10-pack</p>
<p><b>MX7383BATTERY</b></p> 	<p>MX7 Main Battery, Lithium Ion, Low-temperature, for use with MX7CS, 10-pack</p> <p><i>Notes:</i></p> <p>1) For use with MX7 Cold Storage</p> <p>2) Call for availability</p>
<p><b>MX7390CHARGER</b></p> 	<p>4 Unit Main Battery Charger with power supply and US power cord.</p> <p><i>Notes:</i></p> <p>1) US power cord included.</p>
<p><b>MX7391CHARGER</b></p> 	<p>4 Unit Main Battery Charger with power supply, C14 type power cord required.</p> <p><i>Notes:</i></p> <p>1) AC power cord is not included. A country specific power cord must be purchased separately.</p> <p>2) When this product is shipped internationally it may be necessary to order and ship the appropriate international AC power cable at the same time. This product has a C14 style AC power connector. Choose the proper C14 style cable from the international cables in the power cable section.</p>

# HANDLES

**MX7402HANDLE**



MX7 padded handle with rubber overmold and two finger trigger, includes wrist strap, for use with MX7 and MX7CS. Rated down to -22 deg F (-30 deg C.)

**MX7504WRSTSTRAP**



MX7 Wrist Strap 10 Pack

# BOOTS

**MX7490BOOT**



Black rubber protective boot. Can be used with MX7388DSKCRDL & MX7008VMCRADLE

**MX7491BOOT**



Yellow rubber protective boot. Can be used with MX7388DSKCRDL & MX7008VMCRADLE

# CARRYING CASES

## MX7404CASE



MX7 Voice Application case with belt

*Notes:*

1) MX7 with rubber protective boot will not fit in this case.

## MX7408CASE



Carry case for MX7 without handle with Gearkeeper retractor

*Notes:*

1) MX7 with rubber protective boot will not fit in this case.

## MX7411CASE



Carry case for MX7 with handle. For use with retractor MX7412BELT.

*Notes:*

1) MX7 with rubber protective boot will not fit in this case.

## MX7412BELT



Gearkeeper retractor with belt for use with MX7411CASE.

## MX7A413CASENHDL



Carry case for MX7 with no handle, includes shoulder strap

*Notes:*

1) MX7 with rubber protective boot will not fit in this case.

2) Large, tethered stylus can be ordered separately for this case, 9000A510STYLUS.

**MX7A414CASEHDL**



Carry case for MX7 with handle, includes shoulder strap

*Notes:*

- 1) MX7 with rubber protective boot will not fit in this case.
- 2) Large, tethered stylus can be ordered separately for this case, 9000A510STYLUS.

## HOLSTERS

**MX7405HOLSTER**



Holster for MX7 with handle, belt not included

*Notes:*

- 1) MX7 with rubber protective boot will not fit in this holster.
- 2) Belt must be ordered separately.

**MX7407HOLSTER**



Holster for MX7 with no handle, belt not included

*Notes:*

- 1) MX7 with rubber protective boot will not fit in this holster.
- 2) Belt must be ordered separately.

**MX7409HOLSTER**



Holster for MX7 with no handle and with boot

*Notes:*

- 1) Boot and belt must be ordered separately.
- 2) MX7 with rubber protective boot will fit in this holster.

**MX7410HOLSTER**



Holster for MX7 with handle and boot

*Notes:*

- 1) Boot and belt must be ordered separately.
- 2) MX7 with rubber protective boot will fit in this holster.

9200L69



Adjustable nylon belt for holsters

## CRADLES

MX7388DSKCRDL



Desktop cradle with spare battery charging, RS-232, USB client, and tethered scanner support. Power supply not included.

Notes:

- 1) Must order power supply 9000A321PSACUS or 9000A322PSACWW separately.
- 2) Works with MX7 ActivSync cables list in the Interface Cables section.
- 3) Rated for operation between 32 deg F and 122 deg F (0 deg C and 50 deg C) and spare battery charging between 50 deg F and 104 deg F (10 deg C and 40 deg C).
- 4) Cradle will perform "in-unit" battery trickle charging.
- 5) MX7 with a rubber boot will fit in the desktop cradle. The docking bay adapter cup must be removed before the MX7 is placed in the desktop cradle.

MX7003DSKCRDL



Desktop cradle with spare battery charging, RS-232, USB client, and tethered scanner support. Includes AC/DC power supply and US power cord.

Notes:

- 1) Works with MX7 ActivSync cables list in the Interface Cables section.
- 2) Rated for operation between 32 deg F and 122 F (0deg C and 50 deg C) and spare battery charging between 50 deg F and 104 deg F (10 deg C and 40 deg C).
- 3) Cradle will perform "in-unit" battery trickle charging.
- 4) MX7 with a rubber boot will fit in the desktop cradle. The docking bay adapter cup must be removed before the MX7 is placed in the desktop cradle.

MX7004DSKCRDL



Desktop cradle with spare battery charging, RS-232, USB client, and tethered scanner support. Includes AC/DC power supply. Power cord must be ordered separately.

Notes:

- 1) Works with MX7 ActivSync cables list in the Interface Cables section.
- 2) Rated for operation between 32 deg F and 122 F (0deg C and 50 deg C) and spare battery charging between 50 deg F and 104 deg F (10 deg C and 40 deg C).
- 3) Country specific power cord must be ordered separately.
- 4) MX7 with a rubber boot will fit in the desktop cradle. The docking bay adapter must be removed before the MX7 is placed in the desktop cradle.



MX7007VMCRADLE



MX7 Passive vehicle cradle. Does not support charging or communication. U-Bracket included.

Notes:


- 1) RAM mount MX7A001RAMBRKT-R must be ordered separately.
- 2) The cradle will not work with an MX7 that has a protective boot on it.
- 3) The MX7 that has a protective boot on it cannot be mounted in the passive VM cradle.

<p><b>MX7A001RAMBRKT-R</b></p> 	<p>RAM mount kit for MX7001VMCRADLE and MX8003VMCRADLE, passive vehicle cradle. Attaches to U-Bracket.</p>
<p><b>MX7008VMCRADLE</b></p> 	<p>MX7 Active vehicle cradle. Supports MX7 charging, USB client and powered RS-232 connector.</p> <p><i>Notes:</i></p> <ol style="list-style-type: none"> <li>1) Must order power supply and cables separately.** See below</li> <li>2) Cradle will perform "in-unit" battery trickle charging.</li> <li>3) Tethered serial RS-232 barcode scanning supported.</li> <li>4) Rated for operation to 14 deg F and 122 deg F (-10 deg C and 50 deg C).</li> <li>5) The RAM Mount kit includes arm, clamp &amp; base. All are size "C".</li> </ol>


**\*\*MX7008VMCRADLE:**






*Note:* 1) Must order power supply and cables separately.

- a. For 12 Volt DC operation, use 9000A079CBL 12ML3
- b. For 18-60 Volt DC input to 12V DC output use 9000301PWRSPLY
- c. For 60-110 Volt DC input to 12V DC output use 9000302PWRSPLY
- d. For 18-72 Volt DC input to 112V DC output use 9000304PWRSPLY
- e. For 110 Volt AC input to 12V DC Output **with** US Power Cord use 9000A321PSACUS
- f. For 110 Volt AC input to 12V DC Output **without** AC Power Coprd use 9000A322PSACWW





<p><b>MX7A002RAMBRKT</b></p> 	<p>RAM mount kit for MX7008VMCRADLE.</p> <p><i>Notes:</i></p> <ol style="list-style-type: none"> <li>1) The RAM Mount kit includes arm, clamp &amp; base. All are size "C".</li> </ol>
--	--

## POWER CABLES & SUPPLIES


<p><b>9000301PWRSPLY</b></p> 	<p>18V - 60V DC/DC power supply with cradle power cable</p> <p><i>Notes:</i></p> <ol style="list-style-type: none"> <li>1) Will work with the MX7 Active Cradle (MX7008VMCRADLE).</li> </ol>
--	--

<p><b>9000302PWRSPLY</b></p> 	<p>60V - 110V DC/DC power supply with cradle power cable</p> <p><i>Notes:</i>  1) Will work with the MX7 Active Cradle (MX7008VMCRADLE).</p>
<p><b>900304PWRSPLY</b></p> <p><b>PICTURE UNAVAILABLE</b></p> <p><b>CALL FOR AVAILABILITY</b></p>	<p>Power adapter, 18-72V DC input to 12V DC output, includes cable.</p> <p><i>Notes:</i>  1) Will work with the MX7 Active Cradle (MX7008VMCRADLE).</p>
<p><b>9000A321PSACUS</b></p> 	<p>AC/DC power supply with US power cord for use with MX7 Charge/Comm cables or MX7 Desktop Cradle, MX7388DSKCRDL</p> <p><i>Notes:</i>  1) This power supply facilitates in-unit battery charging and is used in conjunction with the RS/232 and USB Active Sync cables or can be used with the MX7388DSKCRDL.  2) US power cord included.  3) Will work with the MX7 Active Cradle (MX7008VMCRADLE).</p>
<p><b>9000A322PSACWW</b></p> 	<p>AC/DC power supply, (C14 type power cord required), for use with MX7 Charge/Comm cables or MX7 Desktop Cradle, MX7388DSKCRDL</p> <p><i>Notes:</i>  1) This power supply facilitates in-unit battery charging and is used in conjunction with the RS/232 and USB Active Sync cables or can be used with the MX7388DSKCRDL.  2) Power Cord is not included.  3) A country specific power cord must be ordered separately.  4) Will work with the MX7 Active Cradle (MX7008VMCRADLE).</p>
<p><b>9000090CABLE</b></p> 	<p>AC power cable, C14 type, Schuko</p>
<p><b>9000091CABLE</b></p> 	<p>AC power cable, C14 type, Denmark</p>



<p><b>9000092CABLE</b></p> 	<p>AC power cable, C14 type, Italy</p>
<p><b>9000093CABLE</b></p> 	<p>AC power cable, C14 type, Switzerland</p>
<p><b>9000094CABLE</b></p> 	<p>AC power cable, C14 type, British</p>
<p><b>9000A079CBL12ML3</b></p> 	<p>Power Adapter, Bare Wire 12 VDC</p> <p><i>Notes:</i>  1) Will work with the MX7 Active Cradle (MX7008VMCRADLE).</p>

## INTERFACE CABLES

<p><b>MX7052CABLE</b></p> 	<p>MX7 Charge/Comm Interface Cable, USB Client for ActiveSync</p> <p><i>Notes:</i>  1) The Charge/Comm cables facilitate Active Sync directly from the MX7 Computer.  2) The charge/comm cables will also support in-unit battery charging. If in unit-battery charging is required, please order the appropriate power supply with each charge/comm cable.  3) This cable connects to a PC USB port.</p>
---	---

<p><b>MX7055CABLE</b></p> 	<p>MX7 Charge/Comm Interface Cable, RS-232 Serial ActiveSync, D9 Female</p> <p><i>Notes:</i></p> <p>1) <i>The Charge/Comm cables facilitate Active Sync directly from the MX7 Computer.</i></p> <p>2) <i>The charge/comm cables will also support in-unit battery charging. If in unit-battery charging is required, please order the appropriate power supply with each charge/comm cable.</i></p> <p>3) <i>This cable connects to a PC serial port.</i></p>
<p><b>MX7057CABLE</b></p> 	<p>MX7 RS-232 Serial Adapter cable, 6in, for use with printers that provide their own source of power. Non-RoHS.</p>
<p><b>MX7058CABLE</b></p> 	<p>MX7 RS-232 Serial Adapter cable, 6in, for use with printers that provide their own source of power.</p>
<p><b>MX7060CABLE</b></p> 	<p>MX7 Headset coiled adapter cable, includes quick disconnect headset connector. A headset is still required.</p>
<p><b>HX2063CABLE</b></p> 	<p>Cable, Vocollect TCO to LXE QD - Must also order MX7060CABLE or MX7070CABLE</p> <p><i>Notes:</i></p> <p>1) <i>This cable should be ordered when using a Vocollect Headset. It has a Vocollect headset connector on one end and the LXE 4-pin QX connector on the other. The total length of this cable is 6". One must also order MX7060CABLE to connect to the MX7.</i></p>
<p><b>MX7070CABLE</b></p> 	<p>CBL ASSU, AUDIO, 6 INCH, MX7, includes quick disconnect headset connector.</p> <p><i>Notes:</i></p> <p>1) <i>This is the MX7 Headset coiled adapter cable which includes the quick disconnect headset connector. This new cable has the coiled section removed and the length has been reduced to 6".</i></p>

# STRAPS

**MX7A401HANDSTRAP**



Replacement MX7 Hand Strap

# MISCELLANEOUS

**MX7A584STYLUS**

*10 pack*



MX7 Replacement Stylus , 10-pack

**9000A510STYLUS**

*5 pack*



Large tethered stylus which fit the MX7 carry cases, 5 pack

**MX7A684PROTFILM**

Touch screen Protective Film, 10 Pack

**PICTURE UNAVAILABLE**

**CALL FOR AVAILABILITY**

# HEADSETS

**LX-213**



Single ear, single headband, headset with noise canceling boom microphone

*Notes:*

*1) Adapter cable MX7060CABLE sold separately.*

**HX1506HSYOKE**



Replacement head yoke for single band LX-213 headset, qty 1

**HX1508WINDSCRN**

*10 pack*



Replacement windscreen for all headset microphones, 10 pack

**HX1509WINDSCRN**

*5 pks. of 10 ea.*



Replacement windscreen for all headset microphones, 50 pack

**9000512EARPAD**

*10 pack*




Replacement leatherette ear piece cover for LX-213 and 502 headsets, 10 pack

**9000513EARPAD**

*5 pks. of 10 each*



Replacement leatherette ear piece cover for LX-213 and 502 headsets, 50 pack

<p><b>9000513EARPAD</b> <i>5 pks. of 10 each</i></p> 	<p>Replacement leatherette ear piece cover for LX-213 and 502 headsets, 50 pack</p>