

CK70

Ultra-rugged Mobile Computer



- 12% smaller and lighter than leading devices in the ultra-rugged class
- Superior computing performance and application response time
- Flexible radio technology provides optimal network coverage and a superior solution for implementing least cost routing strategies
- Industry's fastest imaging engine delivering superior motion tolerance, laser aiming system, and optimized scanning angle for maximum productivity
- On-board diagnostics and INcontrol Managed Services provide device health visibility
- Best in class battery life for longer run time
- Part of Intermec's comprehensive enterprise business solution including printers, application software, communications, peripherals and accessories
- Non-incendive option for hazardous locations

We Didn't Compromise; Neither Should You

Today's courier express, parcel and postal operations are in a race against time. Dimly lit trucks and warehouses, damaged barcodes, incorrect addresses, spotty wireless coverage, and weather extremes pose never-ending challenges to the goals of improving customer service and SLA compliance.

When it comes to selecting the optimal rugged mobile business solution to help you meet these goals, you often face another challenge: satisfying the needs and preferences of IT, Operations and the device user without making a trade-offs.

Intermec is the first to offer a no-compromise solution with the CK70 ultra-rugged mobile computer. The CK70 meets your challenges head on with next generation features that focus on increasing efficiency and delivering unparalleled reliability for track & trace and proof of delivery applications, even in the most extreme conditions. Extend the use of the CK70 into hazardous locations with the non-incendive certified (Div. 2) CK70.

The design of the CK70 is specifically optimized for the courier express, parcel (CEP) and postal environments. In addition to being 12% smaller and lighter than other form factors in its ultra-rugged class, the CK70 supports workers in this fast moving, mobile environment with an application specific keyboard layout that is both slender and back-lit to allow for effortless, all day single-handed use.

Intermec has developed the industry's fastest imaging engine, capable of scanning barcodes moving at up to 12.7m (500 in) per second, enabling the CK70 to provide remarkable motion tolerance and high read rates even in a highly dynamic work environment. The CK70 aiming system, featuring bright white LED illumination and a red laser aimer optimized for all lighting conditions, projects downward at a 35° angle allowing easier scanning of barcodes on parcels and enabling your mobile workers to view the mobile computer screen while scanning.

Reliability You Can Count On

Scratched, damaged displays and missing or unreadable keys not only slow your workers down, they reflect poorly on your company's image. The CK70 includes a brilliant VGA display with a wear-resistant Gorilla™ Glass touch panel providing twice the service life of older touch panel technologies. Industrial grade polycarbonate keys with indestructible laser-etched legends ensure that the CK70 stays in your workers' hands instead of the repair depot.

The 70 Series no-compromise approach includes the option to choose a processor that best fits your needs. The CK70 offers two different, industrial grade superscalar multi-engine processors that offer faster performance with lower power consumption. Choose between the TI OMAP3 1GHz or the TI OMAP3 600MHz. Both offer the speed and reliability expected from the 70 Series.

By combining these latest generation processors along with state-of-the-art battery health diagnostics, the CK70 can be relied upon to deliver the power and performance you require as well as reduce the expenses associated with replacement batteries.

The CK70 continues its no-compromise design to radio connectivity. Wide-area solutions include a Flexible Network™ data radio that operates on any type of network; offering switch-on-the-fly network selection capability and eliminating the need for multiple pools of devices dedicated to one network. The CK70 also offers UMTS/HSUPA and CDMA/EV-DO Rev A voice, as well as data, WWAN radio options.

The Power to Work Smarter

We have surrounded the CK70 with a complete set of intelligent business solution software, tools, services and training modules, to create the smoothest and smartest possible integration into your workflows.

Every 70 Series mobile computer comes pre-loaded with Intermec's ScanNGo client to provide a premium device provisioning experience to simplify and expedite device staging operations. The standalone ScanNGo client enables CK70 users to provision, configure and automatically download application software even over WWAN in a matter of seconds rather than minutes by simply reading pre-configured barcodes.

When the CK70 is coupled with Intermec's VERDEX software, parcel pick-up and delivery workers have all the technology needed to quickly verify address data using a VERDEX powered mobile application. This reduces the volume and associated costs of undeliverable items by correcting address errors *before* they enter your system or arrive at your sorting hub. By providing visibility to items hours earlier than current processes, VERDEX and the CK70 allow you to achieve better downstream planning.

Intermec's application development resource kits enable you to utilize data from the barcode imager, camera, keyboard, touch panel, GPS receiver, sensors, and other input sources in innovative ways to develop new services for your customers. If you've developed applications using Intermec resource kits for previous Intermec products, you'll be able to easily migrate them to the CK70.

Prevent a Problem Before It Exists

The pace and competitiveness of business today doesn't allow for missed deadlines. Success depends on your ability to identify and prevent problems before they impact your mobile workers' productivity, and ultimately your customers' satisfaction.

The CK70 mobile computer's unique device health reporting capability provides insight never before available to allow mobile workers and IT administrators to monitor and prevent issues before they impact operations. Key sub-systems including scanning, communications and battery life can be monitored by either the mobile worker via an on-board dashboard or remotely through the Intermec SmartSystems™ console resulting in optimization and better utilization of your mobile computing assets.

For customers who want a trusted partner to take over the day-to-day task of managing and troubleshooting their mobile devices and WLAN/WWAN infrastructure, Intermec's INcontrol managed services portfolio offers flexible, integrated mobile device and wireless network management services via a hosted web based tool set. Through INcontrol, technical experts from Intermec or one of its qualified PartnerNet members, assume these tasks allowing customers to track assets, secure network investments efficiently and achieve a lower total cost of ownership (TCO).

Based on a Shared Platform

The CK70 is just one model out of four ergonomic designs that are available in the 70 Series family. Each model includes choices

of radios, keypads, imagers, software and services providing you the option of tailoring a *specific* solution to meet the various application areas within your environment and the preferences and needs of your employees.

With a single platform approach, the 70 Series family is unique in its ability to reduce infrastructure complexity and cost. The single computer architecture, software build, set of peripherals and charging system that is shared between the 70 Series products brings simplicity to the frequent tasks of software updates, training new employees, managing spares pools and charging devices.

Break the Cycle of Infrastructure Replacement

All of the 70 Series products are supported by a new docking system designed to maximize the return on your investment in charging and communications infrastructure and greatly reduce the space you must devote to it. Called FlexDock, the system uses a common 2- or 4-position base, combined with cups for mobile computers and battery packs in any combination, to adapt the base your specific needs.

In addition to wall mounting, FlexDock offers expanded mounting options to facilitate the use of standard IT equipment racks for better backroom space utilization and smaller footprint requirements.

When it's time to upgrade equipment, cost and complexity are reduced because existing cups can be easily replaced with new cups corresponding to the next generation solution, allowing the original bases and supporting components to be reused.

Your Customer Expects Reliability

When the reliability, efficiency and accuracy of your operations are the foundation to your competitive advantage, there is no room for compromise. The Intermec CK70, and the 70 Series family of mobile computers, provides unparalleled performance and reliability enabling you to run your operations with confidence.

Physical Characteristics

Dimensions with battery:

L x W x D: 23.7 x 8.0 x 4.3 cm (9.33 x 3.16 x 1.69 in)

Weight: 562 g (19 oz) with battery

Width: grip area 6.42 cm (2.53 in)

Environmental

Operating Temperature: -20° C to +60° C (-4° F to +140° F)*

Storage Temperature: -30° C to +70° C (-22° F to +158° F)

Charging Temperature: +5° C to +35° C (41° F to 95° F)

Relative Humidity: Non-condensing, 95%

Rain & Dust Resistance: IP67

Drop Specification:

2.4 m (8ft.) to concrete per MIL-STD 810G, 1.8m (6 ft) to concrete across operating temperature range per MIL-STD 810G

2,000 (1m) tumbles per IEC 60068-2-32 specification

Electrostatic Discharge: +/- 15 kV air discharge; +/- 8 kV direct discharge

Power

Battery Pack: 3.7 V, 5200 mAh; IEEE 1725 compliant,

Li-Ion, removable, rechargeable

Operating System

Microsoft Windows Embedded Handheld built on Windows 6.5.3 technology

Getting started information:

www.windowsmobile.com/getstarted

Multi-Engine Processor Architecture

Texas Instruments 1GHz OMAP3 multi-engine processor architecture

Texas Instruments 600MHz OMAP3 multi-engine processor architecture

Memory and Storage

Memory: 512 MB RAM

ROM: 1 GB Flash

Customer-accessible micro-SD slot for removable memory cards up to 32 GB

Display

- 8.9 cm (3.5 in) Transmissive VGA
- 480 x 640 pixels
- 65,536 (16 bit RGB) Colors
- High-Durability Touch Screen
- LED Backlight
- Ambient Light Sensor

Standard Communications

USB – Full Speed 2.0 OTG®, USB – Full Speed 2.0 Client® IrDA

Software

Device Management: Intermec SmartSystems™ support includes ScanNGo provisioning for use alone or with device management software from Intermec ISVs

Device Health Monitoring: Remote access requires SmartSystem Management option

Application Development: Intermec Developer Library
www.intermec.com/dev

Apps & Components

VERDEX (Imaging based data extraction and verification), Mobile Document Imaging (eMDI)

Data Management

Skynax® Mobile Communications

Integrated Radios

Wireless WAN: Flexible Network Radio, software switchable

UMTS Frequencies: 800, 850, 900, 1900, 2100 MHz

GSM/GPRS Frequencies: 850, 900, 1800, 1900 MHz

Technology Class: UMTS/HSPA+ & CDMA/EVDO Rev. A

Max Speeds (Network Dependent): Uplink – 5.76 Mbps
Downlink – 7.2 Mbps

Antenna: Internal

Wireless WAN: CDMA/EVDO Rev. A

CDMA Frequencies: 800, 1900 MHz

Max Speeds (Network Dependent): Uplink – 1.8 Mbps

Downlink – 3.1 Mbps

Antenna: Internal

Wireless LAN: IEEE®802.11 a/b/g/n Dual Band WLAN

Security: WiFi Certified for WPA and WPA2, WAPI Certified

Cisco Compatibility: CCXv4

Authentication: 802.1x

Encryption: WEP (64 or 128 bit), AES, TKIP

Wireless PAN: Integrated Bluetooth® Class II, Version 2.1+EDR

Operating channels: 0 to 78 (2402-2480 MHz)

Data Rates: 1, 2, 3 Mbps

Antenna: Internal

Global Positioning System

12 channel Integrated GPS; Network independent autonomous mode; supports assisted operation via WAN

Sensor Technology

Accelerometer: Embedded accelerometer enables automatic or application-specific features such as screen rotation or system suspend

Audio Support

Supports VoIP / Speech recognition / Push to talk applications; front and rear speakers; rear speaker >80 dB at 40 cm (15.7 in); Front receiver and front panel microphone for handset audio communication and audio recording; Wireless Bluetooth headset support; Wired headset support via snap on adapter

Integrated Scanner

EA30 high performance motion-tolerant 2D Imager; white LED illumination; red laser aimer optimized for all lighting conditions; 35 degree downward scan angle; Capable of scanning all common 1D and 2D barcodes; 1D as small as 5 mil; PDF as small as 6.6 mil; Data Matrix as small as 7.5 mil; and standard UPC codes from distances up to 33 cm (13 in)

Integrated Camera Option

5 Megapixel auto focus color camera with LED flash

Keypad Options

Both keypad options feature hard keycaps with laser-etched legends

Large Alpha with backlit
Numeric legends



Alphanumeric



Intermec Global Services Support:

www.intermec.com --> Support --> Knowledge Central
Telephone support available in the USA & Canada (+1-800-755-5505). Outside of this area, contact your local representative.

Maintain software and device configuration with INcontrol Managed Services. Current listing of all Intermec service products can be found at:
www.intermec.com/services

Accessories


FlexDock modular docking system, vehicle dock and holder, snap on adaptors, and magnetic stripe reader

Regulatory Approvals and Compliance

1001CP01U, 1001CP01C

Safety: cULus Listed, DEMKO, BSMI (pending)

EMC: Class B – FCC/ICES/EN, GOST-R

Radio: FCC w/HAC, Industry Canada,  A-tick (AU), C-tick (NZ), NCC (pending), OFTA (pending), IDA (pending), ICASA (pending), POSTEL (pending), NTC (pending), ETA (pending), SIRIM (pending), ANATEL (pending), 61 countries in total

Environmental: EU Directives-WEEE; RoHS; Batteries & Accumulators; Packaging & Waste Packaging

Non-Incendive Version

70 Series family with NI certification comply with the following:

Suitable for use in Division 2 Locations

Safety: cULus Listing – ISA/ANSI 12.12.01

Gases: Class I – Groups A, B, C, D

Dusts: Class II – Groups F, G

Fibers and flyings: Class III

*Max Ambient: 50°C T6

North America

Corporate Headquarters

6001 36th Avenue West
Everett, Washington 98203
Phone: (425) 348-2600
Fax: (425) 355-9551

North Latin America

Headquarters Office

Mexico
Phone: +52 55 52-41-48-00
Fax: +52 55 52-11-81-21

South Latin America

Headquarters Office

Brazil
Phone: +55 11 5502.6770
Fax: +55 11 5502.6780

Europe/Middle East & Africa Headquarters Office

Reading, United Kingdom
Phone: +44 118 923 0800
Fax: +44 118 923 0801

Asia Pacific

Headquarters Office

Singapore
Phone: +65 6303 2100
Fax: +65 6303 2199

Internet

www.intermec.com
Worldwide Locations:
www.intermec.com/locations

Sales

Toll Free NA: (800) 934-3163
Toll in NA: (425) 348-2726
Freephone ROW:
00 800 4488 8844
Toll ROW: +44 134 435 0296

OEM Sales

Phone: (425) 348-2762

Media Sales

Phone: (513) 874-5882

Customer Service and Support

Toll Free NA: (800) 755-5505
Toll in NA: (425) 356-1799



Copyright © 2011 Intermec Technologies Corporation. All rights reserved. Intermec is a registered trademark of Intermec Technologies Corporation. All other trademarks are the property of their respective owners. Printed in the U.S.A. 612100-01D 11/11

In a continuing effort to improve our products, Intermec Technologies Corporation reserves the right to change specifications and features without prior notice.

